

## MS3-MaxiPI70 Microplate Incubator

Micro-plate Incubator is a well-designed processing techniques incubator which well combined with PID controlling. It is mainly used for solution incubation of ELISA plate (96-well/384-well), cell culture plate (24-well/48-well/96well) at proper temperature.

LCD display. Setting temperature and actual temperature simultaneously displayed. Diminishing time displayed.

Friendly human-machine operation interface. Streamline shape, pretty and elegant. Convenient for cleaning.

Uniformly upper & down heating for samples in micro plates. The experiment effect is exact correspondence of the setting actual temperature.

Microprocessor controls temperature and time, good temperature control linear, small fluctuations. 2/4 standard ELISA plates and microplates can be placed and sound alarm signal after the program finished.

Specification	MS3-MaxiPI70
Temp. Control Range	R.T. +5°C - 70°C
Temp. Setting Range	5°C - 70°C
Temp. stability@37°C	±0.2°C
Platform Temp. Uniformity	±0.5°C
Temp. Display Accuracy	0.1°C
Heating Speed	<25min (20°C to 70°C)
Time Range	1min-99h59min
Sample Capacity	4 Pieces of Plates (Height <40mm)
Voltage	AC 220-230V, 50/60Hz
Power	250W
Fuse	250V, 3A/5A, φ5x20
Dimension	W.345 x D.310 x H.178mm
Net Weight	4.9 kgs

